

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	10451	"322"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:36
2	BRS	L2	4643	1 and (alternator or generator)	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:36
3	BRS	L3	1725	2 and battery	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:36
4	BRS	L4	803	3 and "voltage regulator"	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:36

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	333	4 and temperature	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:36
6	BRS	L6	278	5 and (switching or turning)	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:48
7	BRS	L8	48	7 and "permanent magnet"	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:38
8	BRS	L9	59	7 and permanent	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L7	235	6 and rectifier	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:47
10	BRS	L10	1	6 and "temperature threshold"	US- PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B	2005/07/27 15:49
11	BRS	L11	51	("4162419"   "4450389"   "4564775").PN. OR ("5160881").URPN.	US- PGPUB; USPAT; USOCR	2005/07/27 15:49